

BRAND GUIDELINES

VERSION 03 | JANUARY 2019



LOGO

PRIMARY LOGO


PRIMARY LOGO FOR CONSUMER (NO TAGLINE REQUIRED)



PRIMARY LOGO WITH TAGLINE (ARCHITECTS, INSTALLERS)



MINIMUM SIZE



CLEAR SPACE



LOGO

SECONDARY SMALL FORMAT LOGO

SECONDARY SMALL FORMAT DIGITAL LOGO



NOTE: This logo should only be used as an for digital purposes only when the primary logo is eligible.

MINIMUM SIZE



CLEAR SPACE



LOGO

SECONDARY LOGO USAGE

Reversed



Reversed on red



Grey scale



LOGO

PRIMARY LOGO USAGE

Do not have positive logo on dark background.



Do not add any features or elements to the logo.



Do not change the typeface of the logo.



Do not change the proportions of the logo.



Do not use colour not in brand palette.



Do not use colour over a full colour image



PHOTOGRAPHY STYLE



COLOURS

PRIMARY

CMYK
C:10 M:100 Y:90 K:0

RGB
R:227 G:30 B:37

PMS
1797

HTML
FF0000

DULUX
CC90

VINYL
CARDINAL RED

VINYL (REFLECTIVE)
REFLECTIVE RED

HEX
B61828

SECONDARY

CMYK
C:0 M:0 Y:0 K:100

RGB
R:30 G:30 B:30

PMS
PRO BLACK

HEX
000000

CMYK
C:0 M:0 Y:0 K:45

RGB
R:166 G:166 B:166

PMS
PRO BLACK C (45%)

HEX
A6A6A5

TERTIARY

CMYK
C:0 M:50 Y:100 K:0

RGB
R:223 G:122 B:0

PMS
138

HEX
DC901B

CMYK
C:27 M:39 Y:30 K:70

RGB
R:93 G:79 B:75

PMS
441

HEX
534A49

CMYK
C:8 M:91 Y:92 K:33

RGB
R:152 G:50 B:34

PMS
484

HEX
8B2C1D

CMYK
C:0 M:7 Y:23 K:1

RGB
R:236 G:222 B:187

PMS
7506

HEX
F9ECCE

CMYK
C:68 M:12 Y:28 K:35

RGB
R:71 G:127 B:128

PMS
7475

HEX
557F87

CMYK
C:100 M:19 Y:25 K:74

RGB
R:0 G:66 B:80

PMS
548

HEX
003947

CMYK
C:31 M:5 Y:36 K:16

RGB
R:157 G:178 B:143

PMS
7494

HEX
ADBBA0

CMYK
C:23 M:17 Y:13 K:14

RGB
R:139 G:141 B:142

PMS
COOL GRAY 8

HEX
B7B8BE



Fonts

Examples of Usage

Pluto Sans Condensed – Regular 28pt

Pluto Sans Condensed – Thin 34pt

Pluto Sans Condensed – Thin 11pt

Pluto Sans Condensed – Thin 9pt

Pluto Sans Condensed – Thin 8pt



Long run versatility in roofing

Dimond® has developed the perfect roofing solutions for your home thanks to carefully selected, market leading products, colours and comprehensive technical knowledge. These nine profiles will suit any house design from Victorian villa to modern contemporary.



STYLELINE/HI FIVE

Styleline/Hi Five has been specifically designed to produce contrasts of light and shade. Its stylish shape & the way it plays with light reflection means you only see the best from every angle, adding a contemporary look to your home. Perfectly suited for lower pitch roofs, it will set your home apart from the neighbours.

/ Minimum roof pitch 3°.

TRADEMARK & REGISTRATION

SYMBOL USAGE

TRADEMARK & REGISTRATION USE

ALWAYS use appropriate ™ or ® symbol





The ™ symbol is ONLY reserved for select products that have yet to be approved as 'Registered' logos. All other products and sub-brands (and their corresponding logos) should be accompanied by the ®.

Please note that it may be a criminal offence to use ® on a Trademark that IS NOT registered in the country of its audience.

For this reason it is imperative that Fletcher Building Legal is consulted on all other occasions.

ALWAYS use appropriate placement of symbols

Do not position a ™, ® or © symbol over punctuation marks. It can make the punctuation seem it is part of the Trademark.

LOGO	WRITTEN FORM	SYMBOL	APPLICATION
	AudioPerf®	® MUST be used	Headline / In text
	Brownbuilt 900	- N/A	Headline / In text
	Corrugate	- N/A	Headline / In text
	Colorflo®	® MUST be used	Logo / Headline / In text
	ColorCote®	® MUST be used	Logo / Headline / In text
	Colorsteel®	® MUST be used	Headline / In text
	Curved roofing	- N/A	Headline / In text
	(See below)	® MUST be used	Logo
	Dimond® Roofing	® MUST be used	Headline / In text
	Dimond®	® MUST be used	Headline / In text
	Dimondek®	® MUST be used	Headline / In text
	DP955®	® MUST be used	Headline / In text
	Duraclad®	® MUST be used	Headline / In text
	Durolite®	® MUST be used	Headline / In text

TRADEMARK & REGISTRATION

SYMBOL USAGE

TRADEMARK & REGISTRATION USE

ALWAYS use appropriate ™ or ® symbol



The ™ symbol is ONLY reserved for select products that have yet to be approved as 'Registered' logos. All other products and sub-brands (and their corresponding logos) should be accompanied by the ®.

Please note that it may be a criminal offence to use ® on a Trademark that IS NOT registered in the country of its audience.

For this reason it is imperative that Fletcher Building Legal is consulted on all other occasions.

ALWAYS use appropriate placement of symbols

Do not position a ™, ® or © symbol over punctuation marks. It can make the punctuation seem it is part of the Trademark.

LOGO	WRITTEN FORM	SYMBOL	APPLICATION
	Durolite® HeatGuard®	® MUST be used	Headline / In text
	Durolite® FireGuard®	® MUST be used	Headline / In text
	Eurotray®	® MUST be used	Headline / In text
	EuroPanel®	® MUST be used	Headline / In text
	Fastbrace®	® MUST be used	Headline / In text
	Heritage Tray®	® MUST be used	Headline / In text
	Hi Five	- N/A	Headline / In text
	Hibond®	® MUST be used	Headline / In text
	Hibond 55®	® MUST be used	Headline / In text
	Hibond 80®	® MUST be used	Headline / In text
	LT5	- N/A	Headline / In text
	LT7®	® MUST be used	Headline / In text
	Maxilite®	® MUST be used	Headline / In text
	Riverstone®	® MUST be used	Headline / In text

TRADEMARK & REGISTRATION

SYMBOL USAGE

TRADEMARK & REGISTRATION USE

ALWAYS use appropriate ™ or ® symbol


The ™ symbol is ONLY reserved for select products that have yet to be approved as 'Registered' logos. All other products and sub-brands (and their corresponding logos) should be accompanied by the ®.

Please note that it may be a criminal offence to use ® on a Trademark that IS NOT registered in the country of its audience.

For this reason it is imperative that Fletcher Building Legal is consulted on all other occasions.

ALWAYS use appropriate placement of symbols

Do not position a ™, ® or © symbol over punctuation marks. It can make the punctuation seem it is part of the Trademark.

LOGO	WRITTEN FORM	SYMBOL	APPLICATION
	Six Rib	- N/A	Headline / In text
	Solar-Rib®	® MUST be used	Headline / In text
	Steelspan 900	- N/A	Headline / In text
	Stonecrest®	® MUST be used	Headline / In text
	Styleline	- N/A	Headline / In text
	Super Six	- N/A	Headline / In text
	ThermRline®	® MUST be used	Headline / In text
	Topspan®	® MUST be used	Headline / In text
	Tricore®	® MUST be used	Logo / Headline / In text
	V-Rib	- N/A	Headline / In text
	Veedek®	® MUST be used	Headline / In text


APPLICATION EXAMPLES

STATIONERY



APPLICATION EXAMPLES

BUSINESS CARD





APPLICATION EXAMPLES

EMAIL SIGNATURE



APPLICATION EXAMPLES

POWERPOINT TEMPLATE



APPLICATION EXAMPLES

PRESS AD

